

ProColor-Mobile 200

The ProColor Mobile 200 cart makes it easy to move your flat panel from classroom to classroom or anywhere in the room, stretching your budget and bringing interactivity where you need it.



Features

- For use with ProColor flat panel displays.
- Easy-to-move cart with lockable wheels.
- Shelf allows for convenient storage of display accessories

Specifications

Dimensions and Weight		
Dimension (L x W x H)	1,300 mm x 650 mm x 1,610 mm (51.18 in x 25.59 in x 63.39 in)	
Dimension With Package (L x W x H)	1,537 mm x 660 mm x 125 mm (60.51 in x 25.98 in x 4.92 in)	
Gross Weight	45 kg (99.2 lb)	
Net Weight	36.5 kg (80.47 lb)	
Max Load	150 kg (330.69 lb)	
Max Load Size	Below 98 in. (inclusive)	
Truckle	Size	122 mm x 94 mm x 106 mm (4.8 in x 3.7 in x 4.17 in)
	Material	Nylon
	Type	Non-Mute
Support Wall-Hanging	9060A	
Accessories		
Quick Start Guide	1	
Screw Accessory Package	1	
Environmental Conditions		
Operating Temperature	0°C to 40°C (32°F to 104°F)	
Operating Humidity	10% to 90%	
Storage Temperature	-20°C to 60°C (-4°F to 140°F)	
Storage Humidity	10% to 90%	

Drawings

