

ProColor Mobile 200

The ProColor Mobile 200 cart makes it easy to move your flat panel from classroom to classroom or anywhere in the room, stretching your budget and bringing interactivity where you need it.




Features

- For use with ProColor flat panel displays.
- Easy to move cart with lockable wheels.
- Shelf allows for convenient storage of display accessories.

Specifications

| Dimensions and Weight | |
|-----------------------------------|---|
| Physical Specifications | Physical Specifications |
| Dimensions (L x W x H) | Dimensions (L x W x H) |
| Dimensions of package (L x W x H) | Dimensions of package (L x W x H) |
| Gross Weight | Gross Weight |
| Net Weight | Net Weight |
| Max Load | Max Load |
| Truckle | Size: 122 mm x 94 mm x 106 mm (4.8 in. x 3.7 in. x 4.2 in.) |
| | Material: Nylon |
| | Type: Non-mute |
| Support (Wall-Hanging) | 9060A |
| Accessories | |
| Quick Start Guide | 1 |
| Screw Accessory Package | 1 |
| Environmental Conditions | |
| Operation Temperature | 0°C to 40°C (32°F to 104°F) |
| Operation Humidity | 10% to 90% |
| Storage Temperature | -20°C to 60°C (-4°F to 140°F) |
| Storage Humidity | 10% to 90% |



Specifications are subject to change without notice.